HI-PERFORMANCE
LUCAS
OIL PRODUCTS
INC.

AGRICULTURE

LucasOil.com • (800) 342-2512

AGRICULTURE

ENGINE OIL ADDITIVES

HEAVY DUTY OIL STABILIZER

- Increases oil life at least 50% longer
- Reduces oil consumption
- Eliminates dry starts
- Raises oil pressure
- Increases power and miles per gallon

U.S. Measure	Product Number
1 Quart	10001
1 Gallon	10002
5 Gal Pail	10015
16 Gal Keg	10085
55 Gal Drum	10091
330 Gal Tote	10398

PURE SYNTHETIC OIL STABILIZER

- Increases oil life at least 50% longer
- Reduces oil consumption
- Eliminates dry starts
- Raises oil pressure
- Increases power and miles per gallon

U.S. Measure	Product Number
1 Quart	10130
1 Gallon	10131
5 Gal Pail	10132
16 Gal Keg	10133
55 Gal Drum	10134
330 Gal Tote	11133

ENGINE OIL STOP LEAK

- Compatible with petroleum, semi-synthetic and full synthetic motor oils
- Renews worn seals with no risk of damage or eventual corrosion
- Reduces engine noise and oil consumption, while raising oil pressure
- Contains no harmful solvents

U.S. Measure	Product Number
1 Quart	10278
1 Gallon	10279
330 Gal Tote	11134

AGRICULTURE

FUEL TREATMENTS

UPPER CYLINDER LUBRICANT FUEL TREATMENT

- A great tune-up in a bottle
- Cleans and lubricates the fuel system
- Neutralizes low sulfur fuel problems
- Increases power and miles per gallon by burning excess exhaust emissions
- Increases the life of pumps and injectors

U.S. Measure	Product Number
5.25 oz	10020
1 Quart	10003
1 Gallon	10013
5 Gal Pail	10080
16 Gal Keg	10085
55 Gal Drum	10090
330 Gal Tote	10023
Concentrated 330 Gal Tote	10515

DIESEL DEEP CLEAN™

- Reduces particulate matter in filters
- Cleans fuel injectors
- Restores power loss
- Improves acceleration
- DPF Cleaner

U.S. Measure	Product Number
16 oz	10872
64 oz	10873
330 Gal Tote	11136

ANTI-GEL COLD WEATHER DIESEL TREATMENT

- Contains REAL water dispersants to effectively remove moisture from the entire fuel system
- Lowers the cold filter plugging point of ULSD and Biofuels
- Prevents fuel thickening and gelling
- No alcohol
- Will not void warranties
- No harmful effect on diesel particulate filters

U.S. Measure	Product Number
1 Quart	10865
64 oz	10866
5 Gal Pail	10867
55 Gal Drum	10868
300 Gal Tote	10986

CETANE POWER BOOSTER

- Will increase Cetane values by up to 6 numbers
- Tested against unaditized fuel in ASTM D975 at an independent lab and reduced the wear scar by over 27%, conforming to ASTM D975 limits
- Contains a keep-clean dose of diesel fuel detergent that keeps carbon deposits from forming on injectors and with regular use will clean dirty injectors

U.S. Measure	Product Number
16 oz	11031
64 oz	11032

AGRICULTURE

GEAR OILS & TRANSMISSION FLUIDS

HEAVY DUTY TRANSMISSION & DRIVE TRAIN OILS

- Formulated with unique Lucas Oil additive systems to provide the highest performance for extended oil life
- Excellent low temperature properties, shear stability and oxidative stability
- Minimizes foam
- Provides excellent copper corrosion and rust protection
- Designed for use in Caterpillar power shift transmissions, clutches, brakes, final drives, bevel gears and differentials
- Formulated to meet Caterpillar TO-4 specification as well as Allison C-4 and Komatsu Micro-Clutch specifications

SAE 10	
5 Gal Pail	10585
330 Gal Tote	10846
SAE 30	
5 Gal Pail	10443
55 Gal Drum	10445
330 Gal Tote	10446
SAE 50	
5 Gal Pail	10671
330 Gal Tote	10857

PIVOT GEAR BOX OIL

- Completely lubes all gears
- Designed especially to eliminate gear problems and seal leaks in irrigation pivots
- Safely blends with other lubricants, even synthetics
- Water resistant
- Long lasting
- Also for use in chains and sprockets

U.S. Measure	Product Number
5 Gal Pail	10035

HEAVY DUTY GEAR OILS

- Cools and quiets
- Contains special anti-wear and lubricity agents
- Helps to control heat
- Excellent for high performance and heavy-duty applications

SAE 80W-90	
1 Quart	10043
1 Gallon	10046
5 Gal Pail	10066
16 Gal Keg	10067
55 Gal Drum	10069
330 Gal Tote	10511
SAE 85W-140	
1 Quart	10042
1 Gallon	10045
5 Gal Pail	10061
16 Gal Keg	10062
55 Gal Drum	10064
330 Gal Tote	10313

ANTI-SQUAWK / ANTI-SHUDDER ADDITIVE

- Developed to specifically address squawk noise in gear and transmissions of agricultural equipment
- Suitable for temperatures well below freezing
- Reduces shudder in automotive transmissions including Hondas

U.S. Measure	Product Number
16 oz	10599

AGRICULTURE

HYDRAULIC OILS

UNIVERSAL HYDRAULIC & TRANSMISSION FLUID

- Meets and exceeds all OEM specifications for power shift transmissions, bearings, wet brakes and PTO clutches
- Extends equipment and fluid life
- Reduces downtime and major over-haul

U.S. Measure	Product Number
1 Gallon	10017
5 Gal Pail	10037
55 Gal Drum	10038
Per Gallon Tote	10304

SYNTHETIC UNIVERSAL HYDRAULIC & TRANSMISSION FLUID

- Longer fluid and component life
- More hydraulic pressure
- Faster response
- Smoother operation
- Designed for all temperature extremes

U.S. Measure	Product Number
5 Gal Pail	10100
55 Gal Drum	10524
330 Gal Tote	10032

HYDRAULIC OIL BOOSTER & STOP LEAK

- Stops leaks
- Prevents major overhauls
- Reduces heat
- Increases equipment life

U.S. Measure	Product Number
1 Quart	10019
1 Gallon	10018
5 Gal Pail	10039
55 Gal Drum	10038
330 Gal Tote	11123

AW HYDRAULIC OILS

- Excellent wear protection in critical hydraulic pump parts
- Eliminates rust and corrosion
- Minimizes foam
- Designed for use in machine tools, presses, die casting, airline lubricators, reciprocating air compressors, circulating systems, hydraulic control systems and plain and anti-friction bearings

ISO 32	
5 Gal Pail	10401
55 Gal Drum	10403
330 Gal Tote	10414
ISO 46	
5 Gal Pail	10404
55 Gal Drum	10452
330 Gal Tote	10415
ISO 68	
5 Gal Pail	10407
55 Gal Drum	10409
330 Gal Tote	10416
ISO 150	
55 Gal Drum	10672
330 Gal Tote	11126

AGRICULTURE

NON-CONDUCTIVE AW HYDRAULIC OILS

- Reduces deposits and sludge
- Excellent wear protection
- Excellent oxidative and thermal stability
- Recommended for use wherever non-conductive fluids are required

ISO 22	
5 Gal Pail	10691
55 Gal Drum	10692
330 Gal Tote	11127
ISO 32	
5 Gal Pail	11107
55 Gal Drum	11108
330 Gal Tote	11109
ISO 46	
5 Gal Pail	10917
330 Gal Tote	11128

R&O HYDRAULIC OILS

- Excellent rust, corrosion and oxidation protection
- Excellent demulsibility allows product to separate from water quickly
- Designed for use in air compressors and hydraulic systems operating under 1,000 psi that do not require antiwear additives
- Has applications in plain and antifriction bearings, vacuum pumps, electric motors as well as centrifugal, turbine and deep well pumps

ISO 32	
5 Gal Pail	10447
55 Gal Drum	10449
330 Gal Tote	11130
ISO 46	
5 Gal Pail	10450
55 Gal Drum	10452
330 Gal Tote	11131
ISO 68	
5 Gal Pail	10453
55 Gal Drum	10455
330 Gal Tote	11132

MULTI VISCOSITY AW ISO 32 HYDRAULIC OIL

- Provides anti-wear protection and maximum performance
- Extremely high viscosity index and low pour point
- Recommended for use in mobile construction equipment, vane, gear, and piston type hydraulic pumps
- Suitable for use in all industrial hydraulic systems operating up to 3000 psi
- For use in plain and anti-friction bearings, airline lubricators and reciprocating air compressors

U.S. Measure	Product Number
55 Gal Drum	10577
330 Gal Tote	11129

AGRICULTURE

GREASES

RED "N" TACKY GREASE

- Rust and oxidation inhibitors
- Water resistant
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive and industrial applications
- Cold pumping temperature: -27 C or -17 F
- NLGI GC-LB Certified #2

U.S. Measure	Product Number
30 Pk - 14 oz	10005-30
60 Pk - 14 oz	10005-60
1 lb Tub	10574
35 lb Pail	10027
120 lb Keg	10028
400 lb Drum	10029

RED "N" TACKY SPRAY GREASE

- Ideal for hard to reach places
- Narrow, confined spray pattern
- Solidifies quickly
- Good cling to the applied surface
- Resists separation
- Resists water washout
- Good heat resistance

U.S. Measure	Product Number
11 oz net	11025

RED "N" TACKY / 5TH WHEEL LUBE

- Rust and oxidation inhibitors
- Water resistant
- Easy to handle creating little to no mess
- Specifically designed for 5th wheel applications
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive and industrial applications

U.S. Measure	Product Number
2.5 oz	10676

HEAVY DUTY MINING & CONSTRUCTION GREASE

- Provides excellent shock loading protection
- Works in the most adverse operating conditions
- Protects wrist pins and booms from wear
- Extends equipment life and reduces down time
- Water resistant
- NLGI GC-LB Certified #2

U.S. Measure	Product Number
30 Pk - 14 oz	10881-30
60 Pk - 14 oz	10881-60
35 lb Pail	10597
120 lb Keg	10922
400 lb Drum	10598

AGRICULTURE

WHITE LITHIUM GREASE

- Long Lasting
- Reduces wear
- Extreme Friction Reducer
- Recommended for use in automotive chassis, trucks, tractors and contractor equipment
- NLGI GC-LB Certified #2

U.S. Measure	Product Number
8 oz	10533

X-TRA HEAVY DUTY GREASE

- Rust and oxidation inhibitors
- Water resistant
- Excellent mechanical stability
- Long storage life
- Agricultural, automotive and industrial applications
- Cold pumping temperature: -30 C or -22 F
- NLGI GC-LB Certified #2

U.S. Measure	Product Number
30 Pk - 14 oz	10301-30
60 Pk - 14 oz	10301-60
1 lb Tub	10330
35 lb Pail	10305
120 lb Keg	10316
400 lb Drum	10335

GREASE COMBO PACK

Combo Pack Includes:
2 - 3 ounce cartridges of X-TRA Heavy Duty Grease
1 - 3 ounce cartridge of Red “N” Tacky Grease

- Excellent water resistance
- Effective corrosion protection
- NLGI GC-LB Certified #2

U.S. Measure	Product Number
Combo Pack	10315

AGRICULTURE

PROBLEM SOLVERS

5TH WHEEL & SLIDER LUBE

- A clean, inexpensive alternative to grease for 5th wheels and sliders
- Lasts twice as long as grease
- Virtually waterproof
- Eliminate greasy mess on chassis and air hoses

U.S. Measure	Product Number
16 oz	10030
5 Gal Pail	10031
330 Gal Tote	11135

CHAIN LUBRICANT

- Protects chains, sprockets, cables and open gears
- Water resistant
- Excellent high temperature stability
- Contains extreme pressure additives

U.S. Measure	Product Number
1 Quart	10014
5 Gal Pail	10025
55 Gal Drum	10036

CHAIN LUBE AEROSOL

- Designed to penetrate deeply into pins and bushing of the chains
- Excellent rust and corrosion inhibitor, as well as water resistant
- Leaves protective film to ensure minimum wear and drag
- Suitable for use on all chains including O-ring types

U.S. Measure	Product Number
11 oz net	10393

AGRICULTURE

PENETRATING OIL

- A truly superior penetrant designed to dissolve corrosion and rust without drying
- Provides a microscopic film that rust proofs for up to a year inside or out
- Excellent protection against water, even salt water
- Fortified with anti-seize agents
- Low odor

U.S. Measure	Product Number
11 oz net	11043

TRANSMISSION FIX

- Contains no solvents
- Lowers operating temperatures and stops foaming
- Can be added to existing fluid without draining any out
- Effective in an extremely high percentage of cases

U.S. Measure	Product Number
24 oz	10009
5 Gal Pail	10087
55 Gal Drum	10141
Per Gal Tote	10154

MOTOR OILS

HEAVY DUTY CK-4 DIESEL OILS

CK-4 is available in Synthetic Blend and Petroleum

- Longer engine life
- Extended oil changes
- Lower soot levels
- Less filter maintenance
- Less oxidation
- Lower oil consumption
- High temperature stability
- Exclusive Lucas formula
- Safely blends with other motor oils

SAE 15W-40 CK-4	
1 Gallon	10287
5 Gal Pail	10288
55 Gal Drum	10289
330 Gal Tote	10292
Synthetic Blend SAE 10W-30 CK-4	
1 Gallon	10282
5 Gal Pail	10283
55 Gal Drum	10284
330 Gal Tote	10285

AGRICULTURE

SAE 15W-40 MAGNUM CI-4

- SAE grades meet or exceed current API specifications
- Recommended for high mileage vehicles
- Compatible with both conventional and synthetic engine oils
- Exclusive high performance additive system

U.S. Measure	Product Number
1 Quart	10075
1 Gallon	10076
5 Gal Pail	10077
55 Gal Drum	10078
330 Gal Tote	10175

SAE 30

- SAE grades meet or exceed current API specifications
- Excellent cold temperature properties
- Compatible with both conventional and synthetic engine oils
- Exclusive high performance additive system

U.S. Measure	Product Number
1 Quart	10053
5 Gal Pail	10280
55 Gal Drum	10220
Per Gal Tote	10556

MULTI-SYSTEM ADDITIVES

COMPLETE ENGINE TREATMENT

When added to fuel:

- Cleans and lubricates the entire fuel system from the tank to injectors
- Removes harmful deposits on intake valves and cylinder heads
- Lubricates the upper cylinder walls as well as the compression rings and oil rings
- Contains special Lucas additives that cause the fuel to burn thoroughly for fewer exhaust emissions and more MPG
- COUNTERACTS THE CORROSIVE EFFECT OF ETHANOL IN FUEL

When added to engine oil:

- Improves engine cleanliness reduces gum and varnish, especially in oil burners
- Reduces friction and wear
- Improves cold temperature fluidity
- Helps extend oil life

U.S. Measure	Product Number
16 oz	10016

(800) 342-2512

LucasOil.com

PART # 60027
Available in digital format only

Copyright © 04/2019 Lucas Oil Products, Inc.