



MARINE PRODUCTS



*Will Not Void Manufacturer
Warranties*

Exceeds Manufacturer Specifications

LucasOil.com

FISHING REEL OIL

10690 | 1 OZ.

Lucas Fishing Reel Oil is a special blend of oils and additives specifically designed to lubricate all moving parts in fresh water and salt water fishing reels. This product provides protection against rust and corrosion even under the most adverse conditions. The new leak proof one-drop applicator allows just the right amount of lubricant to be applied in hard to reach areas.



MARINE GREASE

10320 | 14 OZ. NET

10682 | 3 OZ. NET

11148 | 16 OZ. NET

Lucas Marine Grease is a premium grease of the overbased calcium sulfonate type with inherently superior corrosion resistance, resistance to water washout, mechanical stability and extreme pressure lubrication. Due to these properties, it is ideally suited for marine applications where these important properties are intrinsic to the grease and not the result of fortification with additives. Additionally, Lucas Marine Grease has excellent load-carrying capacity and resistance to oxidation. It contains no heavy metals (e.g. lead, arsenic or antimony) or other environmentally harmful additives such as phosphorus, chlorine or zinc. Lucas Marine Grease meets NLGI Certification GC-LB. Not recommended for centralized dispensing systems requiring NLGI consistency number of 1 or less.



⚠ WARNING: This product can expose you to naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

MARINE FUEL TREATMENT

10150 | 16 OZ.

10981 | 1 QT.

10177 | 1 GALLON

Lucas Marine Fuel Treatment is designed specifically to address the issues watercraft owners experience with their engines and fuel systems. Lucas Marine Fuel Treatment fights corrosion, keeps fuel lines, carburetors or fuel injectors clean and free of deposits while lubricating and protecting vital engine parts. Powerful detergents, including polyether amines, improve cleanliness in the fuel system and internal engine parts. It's designed for gasoline and diesel engines, 4-stroke or 2-stroke. Upper cylinder lubricants insure smooth operation and longer engine life.



MARINE GEAR OIL M8

10652 SYNTHETIC SAE 75W-90 | 1 QT.

11153 SAE 80W-90 | 1 QT.

Lucas M8 Marine Gear Oils are non-foaming, super-slick, long-lasting lubricants designed for marine applications. Excellent for use in stern drives, v-drives, gear boxes, trailer wheel bearings and superchargers. Meet or exceed API GL-5 performance requirements.



MARINE ATF TYPE FA

Pure Synthetic

10651 | 1 QT.

Lucas Marine ATF Type FA is a blend of high quality synthetic base oils and a specific Lucas additive package. It is a long lasting product designed for use in high performance boat transmission calling for Ford ESW-M2C33-F.



MARINE ENGINE OIL

10653 SAE 20W-50 | 1 QT.

10810 SAE 20W-50 | 5 QT.

10654 SEMI-SYN SAE 20W-50 | 1 QT.

10811 SEMI-SYN SAE 20W-50 | 5 QT.

Lucas Marine Engine Oils are produced with the highest quality base oils and an exclusive Lucas high performance additive package that assures maximum protection under the most extreme operating conditions. They are compatible with both synthetic and non-synthetic oils and can be used with methanol and other racing fuels. These oils are long lasting and designed to cling to metal parts during long-term storage to protect from harmful dry starts.



4-STROKE MARINE ENGINE OIL

10677 SAE 25W-40 | 1 QT.

10814 SAE 25W-40 | 5 QT.

Lucas 4-Stroke Marine Engine Oil is designed to improve wear protection and increase catalyst life in newer engines using catalytic converters. Meets or exceeds NMMA® FC-W (CAT) performance. It is fortified with a special blend of synthetic additives that coat all moving parts to guard against rust, corrosion and moisture during long periods of storage. Meets industry standard API SM (automotive). Can be used in 4-stroke applications, inboards and outboards.



MARINE DIESEL ENGINE OILS

10991 SAE 15W-40 | 1 GAL.

10992 SYN SAE 15W-40 | 1 GAL.

Lucas Oil Marine Diesel Engine Oils resist oxidation and thermal breakdown for total protection in new and older marine engines. They provide increased lubricity, lower oil temperature, reduce engine noise, increase oil pressure and reduce soot levels. Suitable for use in gasoline and diesel powered engines. Meets/Exceeds API CK-4, CT-4, CI-4.



OUTBOARD ENGINE OIL

Catalyst Compatible

10661 SYN SAE 10W-30 | 1 QT.

10662 SYN SAE 10W-40 | 1 QT.

10812 SYN SAE 10W-30 | 5 QT.

10813 SYN SAE 10W-40 | 5 QT.

Lucas Synthetic Outboard Engine Oils are formulated especially for the harsh conditions of high-speed watercraft. These oils are catalyst compatible but work well in any four-stroke application, inboard, outboard, or personal watercraft. They are long lasting and fortified with a special blend of synthetic additives that coat all moving parts to guard against rust and moisture during long periods of storage. Meets industry standard API SM (automotive) as well as JASO MA standards for air-cooled motorcycles and all-terrain vehicles. NMMA® Certified to meet or exceed FC-W (CAT) performance.



MARINE 2-CYCLE OIL

Synthetic Blend Marine 2-Cycle Oil TC-W3®

10860 | 1 QT.

10861 | 1 GALLON

Full Synthetic Marine 2-Cycle Oil

11149 | 1 GALLON

Lucas Marine 2-Cycle Oils are specifically formulated to address the performance requirements of water-cooled 2-cycle outboards and personal watercraft. They are fortified with a unique Lucas additive chemistry and an ashless detergent inhibitor package to minimize spark plug fouling, pre-ignition, and ring sticking. Mix ratio is 50:1 and is recommended for use in pre-mix or direct injection systems.



LUCAS OIL

*Protection For Whatever
You Drive.*

HEAVY DUTY OIL STABILIZER

10001 | 1 QT.

10002 | 1 GALLON

Lucas Heavy Duty Oil Stabilizer is the #1 heavy duty and high performance oil supplement in the World. It eliminates dry starts and resists thermal breakdown for total protection in new engines. It stops smoking, knocking and oil consumption in worn engines. It raises oil pressure, adds lubricity, lowers oil temperatures and stops leaks. It also extends oil life by at least 50%. Use it in any manual transmission or differential to stop wear, leaks, heat, noise and hard shifting. This product safely blends with all petroleum products, even synthetics. Lucas Heavy Duty Oil Stabilizer will not void new car warranties.



HEAVY DUTY CK-4 MOTOR OILS

10287 SAE 15W-40 CK-4 | 1 GALLON

11247 SYNTHETIC SAE 15W-40 CK-4 | 1 GALLON

10282 SYNTHETIC BLEND SAE 10W-30 CK-4 | 1 GALLON

Heavy Duty CK-4 Motor Oils are blended with high quality API Group II and Group III base oils and a cutting-edge additive package providing the robust performance required by modern diesel engines. Much improved oxidation resistance means these oils last longer and protect engines better than other heavy duty motor oils.



2-CYCLE LAND & SEA

Semi-Synthetic TC-W3®

10467 | 1 QT.

10557 | 1 GALLON

Lucas 2-Cycle Land & Sea was specifically formulated to address the performance requirements of water-cooled outboards and personal watercraft. It is fortified with a unique Lucas additive chemistry and an ashless detergent inhibitor package to minimize spark plug fouling, pre-ignition, and ring sticking. It also has applications in motorcycles requiring API TC oils, chain saws, snowmobiles, golf carts and lawn mowers. Mix ratio is 50:1 and is recommended for use in pre-mix or direct injection systems. NMMA® Certified. Not recommended for use in air-cooled 2 cycle applications requiring JASO FC, FD oils.



MAGNUM CI-4 MOTOR OIL

SAE 15W-40

10075 | 1 QT.

10076 | 1 GALLON

Lucas Magnum SAE 15W-40 oil was designed to last up to twice as long as plain 15W-40 oils! It holds much more soot in suspension than conventional 15W-40 oils. You can expect less oil consumption and higher oil pressure. It guarantees a cool, quiet performance with extended drain intervals, longer engine life and no dry starts. It is also the perfect lubricant for hard working hydro-stat transmissions.



UPPER CYLINDER LUBRICANT

10020 | 5.25 OZ.

10003 | 1 QT.

10013 | 1 GALLON

Lucas Upper Cylinder Lubricant Fuel Treatment is formulated for gasoline and diesel engines. It contains no harmful solvents or alcohol. This product is a blend of heat resistant, super slick oils and additives with a high detergent action that cleans and lubricates the fuel system. It also causes the fuel to burn more efficiently for greater fuel economy and fewer emissions. It negates the harmful effects of "reformulated gasoline" especially in older automobiles and 2-cycle engines. Use in diesel engines to neutralize the harmful effects of ultra low sulfur diesel fuel. This product WILL raise MPG.



SAFEGUARD™ ETHANOL

10929 | 2 OZ.

10670 | 5.25 OZ.

10576 | 16 OZ.

Lucas Ethanol Safeguard™ was specially developed to prevent corrosion and degradation in ethanol based fuels caused by fuel separation. It also protects your motor oil from the harmful side effects of alcohol combustion. It can be used in E-10, E-15, E-85, pure alcohol or any alcohol gasoline combination, even pure gasoline. For use in 2-stroke and 4-stroke engines.



WARNING: This product can expose you to ethylbenzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

OCTANE BOOSTER

10725 | 2 OZ.

10026 | 15 OZ.

Lucas Octane Booster is a genuine performance enhancer! It has been tested and proven to deliver at least three times more boost than most other brands. It is suitable for use in fuel injected, carbureted, throttle body and rotary engines. It's safe for turbos, oxygen sensors and catalytic converters. Stops knocks, and raises MPG in high compression engines.



WARNING: This product can expose you to naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

DIESEL DEEP CLEAN™

10872 | 16 OZ.

10873 | 64 OZ.

Lucas Diesel Deep Clean™ is a new Lucas technology developed to reduce the cost and hassle of particulate filter maintenance. It is an excellent preventative maintenance product. It causes the fuel to burn much cleaner, thus eliminating a lot of particulate matter that would otherwise go into the exhaust system causing “regens.” It also cleans out much of the matter already trapped in the filter. This eliminates exhaust back pressure allowing the engine to run easier and cooler as well as lowering the aggravation and down time associated with particulate filters.



FUEL STABILIZER

10314 | 8 OZ.

10302 | 16 OZ.

10303 | 1 QT.

Lucas Fuel Stabilizer is the best solution to prevent gasoline breakdown during storage. It cleans, lubricates, and maintains fuel pumps, carburetors, fuel injectors and compression rings. Safe to use in all grades of gasoline and in all 2 and 4 cycle engines. Easy to use! Application rate, 1 oz. treats 2.5 gallons. A MUST for winter storage.



⚠ WARNING: This product can expose you to naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

POWER STEERING FLUID WITH CONDITIONERS

10442 | 16 OZ.

Lucas Power Steering Fluid with Conditioners is formulated with the highest quality synthetic base oils and unique Lucas additive chemistry to prevent power steering leaks, provide smooth operation and eliminate squealing. This product is compatible with both synthetic and conventional power steering fluids and provides excellent performance in both domestic and foreign vehicles including Hondas. It can be used to top off or as a complete change out and has excellent cold temperature properties.



⚠ WARNING: This product can expose you to chemicals including toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



ENGINE OIL STOP LEAK

10278 | 1 QT.

10279 | 1 GALLON

Lucas Engine Oil Stop Leak is a unique formulation of Lucas additives and base stocks designed to stop leaks in engines. It is also an exceptional additive for worn and older engines, reducing engine noise and oil consumption while raising oil pressure. It contains no harmful solvents and can actually extend engine oil life by 50% or more.



POWER STEERING STOP LEAK

10008 | 12 OZ.

10011 | 1 QT.

Lucas Power Steering Stop Leak is also effective at removing hard spots and tightness in worn rack and pinions and the noisy whine in some Ford pumps. To correct these problems empty the reservoir and refill it with Lucas Power Steering Stop Leak (usually 12 oz.) Compatible with all power steering fluids. Contains no harmful solvents.



COMPLETE ENGINE TREATMENT

10016 | 16 OZ.

Lucas Complete Engine Treatment is a unique formulation that cleans and lubricates multiple systems in your vehicle. When added to fuel, it cleans and lubricates all components from the fuel tank to the cylinders. It removes deposits, protects against corrosion and helps the fuel to burn more completely, which helps to lower emissions, improves fuel mileage and increases power. When added to your oil, Lucas Complete Engine Treatment cleans your engine and forms a protective barrier against heat and friction, improves oil flow in cold weather and extends oil life. FOR ALL ENGINES AND OIL TYPES.



ATTENTION: Do not use any Slick Mist® products on floors, vehicle controls (pedals, grips, steering wheels) motorcycle seats or tire treads, bicycle seats or tire treads, brake drums and any other surface where slipperiness may be hazardous. SHAKE WELL.

MARINE SLICK MIST® SPEED WAX

10980 | 24 OZ.

Slick Mist® Marine Speed Wax is a fast and easy wax that is great for shining boats, cars, motorcycles, ATV's, trucks, and airplanes. Use Slick Mist as a traditional wax, quick detail spray or spray it on your boat between rinsing and drying for the easiest polish job ever. Just spray it on a wet or dry surface and wipe it off. Slick Mist® out performs the competition and will leave your finish slicker and shinier than any product on the market, with long lasting protection. Great at removing hard water deposits and is ideal in saltwater and fresh water applications.



SLICK MIST® TIRE & TRIM SHINE

10513 | 24 OZ.

Slick Mist® Tire & Trim Shine is a water based, pH neutral product that restores tires, bumpers and trim to look like new. It can be used on rubber, plastic, leather and vinyl. This unique formula is applied easily and does not leave a heavy oil residue. It contains UV additives to prevent fading caused by direct sunlight and has a pleasant citrus smell.



SLICK MIST® INTERIOR DETAILER

10514 | 24 OZ.

Slick Mist® Interior Detailer is a water based, pH neutral product that restores interiors to look like new. It can be used on rubber, plastic, leather and vinyl. This unique formula is applied easily and does not leave a heavy oil residue. It contains UV additives to prevent cracking and fading caused by direct sunlight and has a pleasant bubble gum smell.



METAL POLISH

10155 | 16 OZ.

Lucas Metal Polish cleans, polishes and protects aluminum and other metals including chrome, magnesium, stainless steel, silver, brass and gold. It gives a deep shine and maximum luster with little effort. This fast acting metal polish is simple to use and is safe on all metals. It contains no acid or ammonia.



See the new Lucas Oil
Outdoor Line of gun
cleaning and lubricants at
LucasOilOutdoor.com



Notes

Notes



302 N. Sheridan Street | Corona, CA 92878
LucasOil.com • (800) 342-2512

