



POWER STEERING STOP LEAK

 Also eliminates slack, squeals, hard spots and tight steering

HEAVY DUTY OIL STABILIZER

- Stops smoking, knocking and oil consumption
- Extends oil life

FUEL TREATMENT

- A great tune-up in a bottle
- Increases power and miles per gallon by burning excess exhaust emissions

TRANSMISSION FIX

- Stops slipping
- Completely stops most seal leaks
- Extends fluid life up to four times longer



Problem Solving Additives and High Performance Lubricants for Everyday Cars and Trucks!



LucasOil.co.uk • 0808 100 3259

KEEP THAT ENGINE ALIVEL®

C DE TEIKEN

AR FORMUL WON'T WORKS TE

e Rock Racing

LUCAS OIL



Use with synthetic and non-synthetic oil

Cuts internal friction for more POWER ADDS NEEDED LUBRICITY TO ANY OLL ³² fl. oz. U.S. Made in USA 946 ml



EXTENDS



Eliminates Dry Starts, The #1 Cause Of Wear In New Engines Seals Worn Cylinders To Slow Oil Consumption Cools and quiets engines and gear boxes

The Extra Protection Needed In Four Cylinder And High Performance Engines 32 fl. oz. U.S. Made in USA 946 mL Stops smoking, knocking and oil consumption

HEAVY DUTY & SYNTHETIC

OIL STABILIZERS

- Slows oil leaks
- Extends oil life at least 50% longer
- Seals worn cylinders to slow oil consumption
- Eliminates dry starts

LucasOil.co.uk | 0808 100 3259



HI-

6

summing and and and and and and and and

OIL PRODUCTS

unnunnunnun.

CHILLORNIN

 Compatible with petroleum, semi-synthetic and full synthetic motor oils

CRUISE WITH

- Renews worn seals with no risk of damage or eventual corrosion
- Reduces engine noise and oil consumption, while raising oil pressure
- · Contains no harmful solvents

LucasOil.co.uk 800 100 3259



POWER STEERING STOP LEAK

RENEWS WORN RACK & PINIONS

KEY BENEFITS

- · Controls squeals, whines and hard spots
- · Renews and conditions worn seals
- Improves steering response
- · Compatible with all power steering fluids
- · Contains NO harmful solvents
- Guaranteed to stop all seal leaks or your money back

STOPS SEAL LEAKS AND MORE



IT WORKS! LucasOil.co.uk | 0808 100 3259



Renews Worn



12 fl. oz. U.S. Made in USA 355 mL

Renews Worn RACK & PINIONS CHAROLS SLACK, SQUEALS MARD SPITS & TIGHT STEFFING





GUARANTEED To Stop All Seal Leaks or YOUR MONEY BACK

Contains No Harmful Solvents

TOTALLY Stops Squeals and Hard Spots

32 fl. oz. U.S. Made in U.S.A. 946 ml

PART # 10008 (12 OZ) | PART # 10011 (32 OZ)



TRANSMISSION FIX

STOPS SLIP

KEY BENEFITS

- Extends fluid life
- Cleans and lubricates sticking valves for proper shifting
- Reduces transmission temperature
- Polymetric film renews worn bands to stop slipping
- Improves shifting
- Stops most seal leaks
- Results are long lasting and are usually noticeable immediately
- NOT Recommended for CVT's

#1 SELLING TRANSMISSION ADDITIVE



IT WORKS! LucasOil.co.uk | 0808 100 3259





PART # 10009 (24 OZ)

- Cleans and lubricates the entire fuel system
- Fuel burns more efficiently–greater MPGs and fewer emissions
- Increases the life of pumps, valves, rings and injectors
- Designed for gasoline or diesel engines
- Use at every fill-up to maintain peak engine performance

Lucas0il.co.uk | 0808 100 3259



NDER



ANTI-GEL

COLD WEATHER DIESEL TREATMENT

WITH REAL WATER DISPERSANTS

DESIGNED ESPECIALLY TO PREVENT COLD FILTER PLUGGING

KEY BENEFITS

- 1 quart treats 150 gallons to -10°F
 ½ gallon treats 300 gallons to -10°F
- Contains no alcohol
- Won't void warranties
- Has no harmful effect on particulate filters

EFFECTIVE IN ULSD AND BIOFUELS

(Expect bio diesel fuel or BIOFUELS to thicken at a higher temperature)



IT WORKS! LucasOil.co.uk | 0808 100 3259



CATCHING THE STATE OF THE STATE

BRODIX

VORTECH

Holley

LUGISOL OCTANE BOOSTER

- Tested and proven to deliver 3X's more boost than most other brands
- Suitable for use in fuel injected and carbureted engines

merican

& FEA

muhuradog varastöen

MARCI

- Promotes clean fuel burn for fewer emissions
- Safe for turbos, oxygen sensors and catalytic converters

LucasOil.co.uk • 0808 100 3259



CAPLESS COMPATIBLE

Pro Formula Drift

SAM'S AUTO LAND

<u>EUCASOIL</u>

FUEL STABILIZER

KEY BENEFITS

- · Easy to use
- Preserves fuel for up to 12 months or longer
- Application rate: 1oz. treats 1 gallon
- Prevents gasoline break-down during storage
- Safe to use in all grades of gasoline and in all 2 and 4 cycle engines, inboard or outboard



Prevents Fuel Degradation

During Storage

MADE IN USA 237 m

8 fl. oz. U.S.



OIL PRODUCTS

^{events} Fuel Degradation During Storage

MADE IN USA

444 ml

PREVENTS FUEL DEGRADATION DURING STORAGE



IT WORKS! LucasOil.co.uk | 0808 100 3259

PART # 10314 (8 OZ) | PART # 10302 (15 OZ)

1. oz. U.S.



DEEP CLEAN™ FUEL SYSTEM CLEANER

REDUCES NOx EMISSIONS

BLENDED WITH AN EXCLUSIVE LUCAS ADDITIVE PACKAGE AND A SPECIFIC CARRIER FLUID THAT CONTAINS NO DIESEL FUEL, KEROSENE OR ANYTHING ELSE THAT CAN BE HARMFUL OR USELESS TO AN ENGINE

KEY BENEFITS

- Eliminates the need for higher octane fuel
- · Removes carbon deposits
- Totally eliminates knocking and pinging
- Brings sluggish engines back to life
- 5.25 oz treats up to 15 gallons
- 16 oz treats up to 30 gallons



IT WORKS! LucasOil.co.uk | 0808 100 3259



FLUCAS

MAKES IT

EMISSIONS IMPROVES FUEL ECONOMY TREATS UP TO 15 GALLONS IF LUCAS

AAKES I

PRODUC

REDUCES NOX EMISSIONS

ECONOMY

TREATS UP TO

30 GALLONS

6 fl. oz. U.S. Made in USA 473 m

FUEL



DIESEL DEEP CLEAN™

PARTICULATE FILTER CLEANER & POWER BOOSTER

DEEP CLEANS THE ENTIRE FUEL AND EXHAUST SYSTEM

KEY BENEFITS

- Reduces the cost and aggravation of particulate filter maintenance
- Removes and dissolves harmful exhaust deposits that could plug the particulate filter
- Can be used full time for maximum performance and MPG
- 16 oz treats 30 gallons (115 liters), overtreat will not harm system

REDUCES NO_x EMISSIONS



IT WORKS! LucasOil.co.uk | 0808 100 3259



OWER

AINTENANCE

PART # 10872 (16 OZ)



SAFEGUARD[™] ETHANOL FUEL CONDITIONER WITH STABILIZERS

SPECIALLY DEVELOPED TO PREVENT CORROSION AND DEGRADATION IN ETHANOL BASED FUELS

KEY BENEFITS

- Protects your motor oil from the harmful side effects of alcohol combustion
- Can be used in E-10, E-15, E-85, pure alcohol or any alcohol gasoline combination, even pure gasoline
- Cleans and maintains injectors, carburetors and valve seats
- For use in 2-stroke and 4-stroke engines



IT WORKS! LucasOil.co.uk | 0808 100 3259









Unit 4 Cunliffe Drive | Industrial Estate, Llangefni | Anglesey, LL77 7JA LucasOil.co.uk | email: Info@lucasoil.co.uk | Tel: 01248 723 666 | fax: 01248 723 275 Company No. 4333829

Ethanol In Fuel: A Costly Nightmare

What is Ethanol Blended Fuel?

Manufacturers generate ethanol, which is short for ethyl alcohol, by fermenting and distilling crops like corn, wheat and barley. It's the same stuff that is in alcoholic beverages. Alcohol is an amazing cleaner and solvent and its natural tendency is to bond with water. There is where the problems lie. What happens is a process called



phase separation where the alcohol separates from the fuel and alcohol bonds to any water that is inherent in the system, corrupting all of the fuel in the process. The other issue besides the water is that because alcohol is such a good solvent and cleaner it can dry out,

damage and corrode plastics, rubbers and cause pieces to flake, brake off and travel into the fuel system. In the photos here, you can see fuel lines that were cut open and inspected to find the inner walls were deteriorating and flaking off into the fuel. The fuel lines themselves became verv hard and brittle. The fuel filters got gummed up with debris, which also lead to fouling of spark plugs. The fuel filters swelled and broke into two pieces.

Lucas Safeguard™ Ethanol Fuel Conditioner with Stabilizers will combat this problem! Don't wait until it has already done the damage!!





LUCAS OIL & ADDITIVES YOUR SHIELD OF PROTECTION

T: 0808 100 3259 LucasOil.co.uk

Keep It Cool During Those Hot Summer Cruises!

\$ 4.

111

KEEP THAT

OLANT ALON



Lucas Super Coolant has been scientifically formulated to provide the ultimate protection in automotive and racing cooling systems. It protects the entire cooling system from rust, corrosion and electrolysis, including aluminum.

BENEFITS

- Reduces operating temperatures by up to 20° F
- Prevents deposits that cause overheating
- Lower cylinder head temps allow advanced ignition timing and more HORSERPOWER

LucasOil.co.uk



0808 100 3259



TB ZINC-PLUS ENGINE BREAK-IN OIL ADDITIVE

RACING ZDDP

KEY BENEFITS

- Protects camshaft lifters and valve train during engine break-in
- Excellent for flat tappet camshafts during break-in or as an additive to any motor oil to prevent premature wear
- Exclusive blend of extreme pressure additives
- Add one bottle with every rebuild to increase
 the zinc content of your motor oil
- Designed for race applications requiring additional extreme pressure additives
- Dyno testing shows a more efficient break-in when used; resulting in less engine run time prior to race day
- Not designed for passenger car use



IT WORKS! LucasOil.co.uk | 0808 100 3259 RACING ZDDP RACING ZDDP DESIGNE BREAK-IN OL ADDITIVE DESIGNED FOR HOT RODS CLASSIC CARS RACE ENGINES MADE IN USA 16 fl. oz. U.S. / 473 mL

PART # 10063 (16 OZ)



POWER STEERING FLUID

FORMULATED WITH THE FINEST BASE OILS AND SPECIAL LUCAS ADDITIVE PACKAGE PROVIDING SMOOTH, QUIET OPERATION WHILE CONDITIONING SEALS TO PREVENT LEAKS

KEY BENEFITS

- Improves steering response and feel
- Extends life of pumps, rack and pinion gears, seals, cylinders and valves
- Compatible with all power steering systems and fluids, petroleum or synthetic
- Stops fading and foaming in high performance situations

EXTENDS POWER STEERING SYSTEM LIFE



IT WORKS! LucasOil.co.uk | 0808 100 3259 For ALL POWER STEERING SYSTEMS Even Honda



PART # 10442 (16 OZ)

<u>EUCESOIL</u>

T WORKS

POWER

STEERING FLUID

in USA

12 fl. oz. U.S. Ma

POWER STEERING FLUID

KEY BENEFITS

- Contains mild seal swell agents that condition o-rings and seals to help prevent small leaks
- Maintains smooth power steering operation
- Contains supplemental oxidation inhibitors and foam inhibitors to help extend fluid life
- Helps stop pump squealing
- · Adds lubricity to help stop wear
- · Formulated with special oils



IT WORKS! LucasOil.co.uk | 0808 100 3259

PART # 10823 (12 OZ) | PART # 10824 (32 OZ)

32 fl. oz. U.S.

OIL PRODUCTS

MADE

Made in USA

G FLUID

946 mL



AUTOMATIC TRANSMISSION FLUID CONDITIONER

FORMULATED WITH A SPECIAL ADDITIVE PACKAGE DESIGNED TO PREVENT SLIPPING, LEAKS AND WEAR. PROVIDES SMOOTH, QUIET OPERATION WHILE CONDITIONING SEALS TO EXTEND THE LIFE OF THE TRANSMISSION.

KEY BENEFITS

- Reduces noise and shudder
- Improves shifting
- Extends fluid life
- For use in new and older transmissions
- Compatible with most ATF fluids*
- · Will not void new car warranty

*Not for use in vehicles equipped with CVT and Ford Type F transmissions. Please consult your owner's manual.



IT WORKS! LucasOil.co.uk | 0808 100 3259 DIL PRODUCTS INC.

AUTOMATIC TRANSMISSION FLUID CONDITIONER





TOOL BOX BUDDY

NO CHLORINE, NO FLUOROCARBONS

USE ON NUTS, BOLTS, HINGES, BEARINGS, GUNS, FISHING REELS, SLIDING DOORS OR A MILLION OTHER HOME AND SHOP USES

KEY BENEFITS

- A truly superior penetrant designed to dissolve corrosion and rust without drying
- · Provides a microscopic film that rust proofs for up to a year inside or out
- · Excellent protection against water, even salt water
- Fortified with anti-seize agents
- Low odor

SPRAYS ANYWHERE, EVEN UPSIDE DOWN



IT WORKS! LucasOil.co.uk | 0808 100 3259







Penetrates · Lubricates

HARMFUL OR FATAL IF SWALLOWED. EYE IRRITANT. VAPOR HARMFUL. CONTENTS UNDER PRESSURE. Read other Precau-tions on Back Panel. KEEP OUT OF REACH OF CHILDREN. **Dissolves Rust** NET WT. 11 OZ. 2 1. oz. U.S. MADE IN USA 59 mL

PART # 10392 (11 OZ)

MADE IN USA

311 grams

PENETRATES LUBRICATES **DISSOLVES RUST**

DANGER: EXTREMELY FLAMMABLE

GUN OIL

KEY BENEFITS

- Polymeric film protects metal parts from rust, wear and moisture during extreme conditions
- Provides unmatched, burnoff-resistant protection unlike any other multi-purpose gun oil
- Neutralizes acids caused by contact from human hands and resists drying during long periods of storage
- Maximum heat resistance
- Super slick, yet clings to metal parts for for easier operation and reduced wear
- A "must" for competition shooting



IT WORKS! LucasOil.co.uk | 0808 100 3259 Protect Your Guns And Equipment With The Latest In Lubricating Technology

PRODUCTS

ENVIRONMENTALLY FRIENDLY 2 fl. oz. MADE IN USA 59 mL

PART # 10006 (2 OZ)



SEMI-SYNTHETIC ASSEMBLY LUBE

HIGH PERFORMANCE

KEY BENEFITS

- Use to pre-lube camshaft, bearings, lifters and valve train
- Prevents seizing, galling and scuffing
- Super slick and tacky
- · Easy to use
- Excellent rust inhibitor
- Excellent for long term storage
- Contains Zinc, Moly and other extreme pressure additives for maximum protection during engine break-in
- Compatible with all oils, conventional or synthetic



IT WORKS! LucasOil.co.uk | 0808 100 3259



HIGH



GREASES

X-TRA HEAVY DUTY

- Automotive chassis lubrication
- Automotive wheel bearing lubrication
- Industrial equipment
- Electrical contacts
- Multi-Purpose
- · Heavy duty equipment
- · CVJ
- · GC-LB

WHITE LITHIUM

- Automotive chassis
 lubrication
- Industrial equipment
- Household
- Doors/hinges
- Garage doors







HEAVY DUTY GREASE

Maniformance and extend component line m: - HEAVY DUTY THUCS' - CAME QUIPMENT - CONSTRUCTION EQUIPMENT - Partice for - Mich Temperatures - Mich Stepe Bearings - Mich Temperatures - Mich Stepe - Mich Stepe - Colling -







RED "N" TACKY #2

- Automotive chassis lubrication
- Automotive wheel bearing lubrication
- Industrial equipment
- Construction equipment
- Heavy duty equipment
- Multi-Purpose
- GC-LB





MARINE

- Boat trailer chassis lubrication
- Boat trailer wheel bearing lubrication
- Boat overdrive/outboards
- Boat steering linkage
- Industrial equipment
- Multi-Purpose
- Fresh water and salt water rust and corrosion protection
- Environmentally safe
- GC-LB

X-TRA HEAVY DUTY PART # 10301 (14.5 OZ) WHITE LITHIUM PART # 10533 (8 OZ) RED "N" TACKY #2 PART # 10005 (14 OZ) MARINE PART # 10320 (14 OZ)



GC-LB

NLGI #2

WE 14 OZ (3971 Made in USA

<u>ICASOIL</u>

PROPERTY/ APPLICATION	X-TRA HEAVY DUTY	RED "N" TACKY #2	WHITE LITHIUM	MARINE
NLGI Grade	2	2	2	2
NLGI Certified	GC-LB	GC-LB	No	GC-LB
Thickener Type	Polyurea	Lithium Complex	Li-12 Hydroxystearate	Lithium Complex
Tacky/Adhesive	No	Yes	No	Yes
Color	Green	Red	White	Blue
Appearance	Buttery	Buttery	Buttery	Buttery
Worked Pen. at 77°F, 1/10 mm	265-295	265-295	265-295	265-295
Dropping Point °F	540	540	360	550
Rust Protection	1	1	V	V
Salt Water Corrosion Protection	Fair	Good	Poor	Excellent
Operating Temperature	-20 to 400°F	-20 to 400°F	-10 to 300°F	-20 to 400°F
Low Temperature Torque @ -40°F	Pass	Pass	Pass	Pass
Automotive Chassis Lubrication	J	1	J	J
Automotive Wheel Bearing Lubrication	1	1	No	J
Industrial Equipment	1	1	\checkmark	J
Electrical Contacts	1	No	No	No
Heavy Duty/Construction Equipment	1	1	No	J
Constant Velocity Joints (CVJ)	1	No	No	No
Boat Trailer Wheel Bearings	No	1	No	1
Boat Trailer Chassis Lubrication	1	J	No	J
Boat Outdrive	No	V	No	V
Automotive and Boat Steering Linkage	1	\checkmark	\checkmark	V
Centralized Delivery Systems	1	No	V	No
Extreme Pressure Properties	\checkmark	\checkmark	No	V
Timken OK Load, Lbs	60	60	<40	80
Industrial Plain bearings	1	\checkmark	\checkmark	V
Anti-Friction Bearings above 5000 rpms	J	No	\checkmark	No
Household Use	1	\checkmark	1	\checkmark
Shock Load Protection	1	\checkmark	No	V
Multi-Purpose Grease	1	\checkmark	No	V
Water Resistance	Excellent	Excellent	Good	Excellent
Environmentally Safe	Fair	Fair	Fair	Excellent



IT WORKS! LucasOil.co.uk | 0808 100 3259





Premium Additives! NLGI GC/LB Certified

X-tra Heavy Duty Grease

- Lucas X-tra Heavy Duty Grease is specially formulated for heavy duty equipment and high-speed bearings.
- Perfect for hard working equipment with irregular maintenance schedules.
- Outstanding film strength and adhesive properties.
- Exceeds the performance requirements of Ford, International Harvester, John Deere, Deutz, Case and Massey-Ferguson

Red "N" Tacky

- Lucas Red "N" Tacky is a technical blend of lithium and polymers plus a heavy addition of "anti-wear"/ "anti-sieze" agents.
- Excellent for use in trucks, cars, industrial and farm equipment, boat trailers and wheel bearings.
- Provides High Levels of: Temperature Stability, Chassis Protection, Resistance to Acid and Alkali and Resistance to Rust and Corrosion.

Part # 10315

Ours stren adhei

www.LucasOil.co.uk • 0808 1003259

X-TRA HEAVY

GENT

Multi-Purpose Greases Graisse À Usages Multiples Grasas De Uso Múltiple

Made in U.S.A. - Fabriqué aux É.U. - Hecho en E.E.U.U.

As Easy As



LICKMI

Car care doesn't get any easier than the Lucas Slick Mist[®] line of products!

Slick Mist Speed Wax is a polymer paint gloss intensifier that can be applied wet or dry, and can even be used on glass, chrome and vinyl.

Slick Mist Interior Detailer cleans and protects your leather, vinyl, plastic and rubber like no other product, leaving your interior "like-new" fresh!

Slick Mist Tire and Trim Shine - removes dull, grey oxidation from tires and replaces it with a deep, black "new-tire" look and feel.



Lucas0il.co.uk | 0808 100 3259

GREAT FOR: CARS • TRUCKS BOATS • AIRPLANES



SLICK MIST® DETAILING KIT

KIT INCLUDES:

- Interior Detailer 24 oz. (710 mL)
- Tire & Trim Shine 24 oz. (710 mL)
- Speed Wax 24 oz. (710 mL)
- Microfiber Towel 16" x 16"
- No Mess!® Tire & Trim Applicator
- Shake well

EVERYTHING NEEDED TO MAKE YOUR VEHICLE SHOWROOM READY!

HI-

OIL PRODUCT




CARS • TRUCKS • MOTORCYCLES • ATV'S • BOATS • PLANES • RV'S

IT WORKS! LucasOil.co.uk | 0808 100 3259

PART # 10558

KEEPTATENGNEALVEL.





Lucas0il.co.uk | 0808 100 3259

UNIVERSAL HYDRAULIC FLUID

Reduces heat, wear, seal leaks and clatter

 Increases lubricity, hydraulic pressure, seal life and fluid life

HYDRAULIC OIL BOOSTER & STOP LEAK

- Stops seal leaks
- Renews worn fluids
- Boosts hydraulic pressure
- Perfect for preventative maintenance



MULTI-VEHICLE AUTOMATIC TRANSMISSION FLUID

PROVIDES TODAY'S TRANSMISSIONS WITH EXCELLENT OXIDATION STABILITY, FOAM RESISTANCE, WEAR PROTECTION AND HEAT RESISTANCE, WHILE PROVIDING SMOOTH, CHATTERLESS SHIFTING

KEY BENEFITS

- Recommended for use in both
 new and older vehicles
- · Provides smooth shifting
- Excellent heat resistance
- Outstanding seal conditioning
- Compatible with synthetic and conventional fluids
- Not recommended for CVT, Ford Type F and MB 236.12

Suitable for Japanese and European transmissions.



IT WORKS! LucasOil.co.uk | 0808 100 3259



PART # 10418 (32 OZ)



HEAVY DUTY GEAR OILS

TRANS & DIFF LUBE

KEY BENEFITS

- · Contains unique Lucas Oil additive
- Designed for hypoid gears
- Provides rust protection
- Quiets whining gears
- Non-foaming
- Can be used in limited slip differentials
- Cold temperature protection down to -26°C (-14.8°F)
- Exceeds service level API GL-5, API MT-1, SAE J2360, Mack GO-J, PG-2 Limited Slip

Sa cool,

mance

W Wear

a drad.

- Tring

 Ideal for shock loading applications



IT WORKS! LucasOil.co.uk | 0808 100 3259

SAE 80W-90 PART # 10043 (32 OZ) PART # 10046 (128 OZ)

High Performance HEAVY DUTY

SAE 80W-90 GEAR OIL

CA5

SAE 85W-140 PART # 10042 (32 OZ) PART # 10045 (128 OZ)

OIL PRODUC

INC

Heavy Duty

High Performance

Trans & Diff Lube

SAE 85W-1

6



SYNTHETIC GEAR OILS

TRANS & DIFF LUBE

CONTAINS A SPECIAL SYNTHESIZED ADDITIVE PACKAGE THAT ENSURES LESS GEAR RATTLE, LESS WHINING AND LONGER BEARING LIFE

KEY BENEFITS

- Perfect for problem situations where other gear lubricants are not good enough
- Safely blends with other gear oils, petroleum or synthetic
- Excellent for use in limited-slip differentials
- Stands up to high temperatures without losing its lubricity
- Super slick
- Specially designed for heavy duty and high performance applications



IT WORKS! LucasOil.co.uk | 0808 100 3259

SAE 75W-90 SYNTHETIC PART # 10047 (32 OZ) PART # 10048 (128 OZ)

SAE 75W-90

Gear Oil

SYNTHETIC

OIL PROD

Gallon (128 fl. oz. U.S.)

INC

Trans & Diff Lube

Made In USA

3.785 L

PERFORMANCE

SAE 75W-140 SYNTHETIC PART # 10121 (32 OZ) PART # 10122 (128 OZ)

OIL PRODUC

INC

SAE 75W-140

Trans & Diff Lube

32 fl. oz. U.S. Made in USA 946 mL



OIL PRODUCTS

SAE 15W-40 MAG

MEETS or EXCEEDS

API CJ-4, CI-4+, CI-4 CF/SM, ACEA E7

Made in USA

LONG DRAIN HD MOTOR

G- -

1 Gallon (128 fl. oz

SAE 15W-40 MAGNUM CJ-4

LONG DRAIN HD MOTOR OIL

TESTED TO 30,000 MILES AND STILL GOOD

KEY BENEFITS

- Longer drain Intervals
- Less oil consumption
- Higher lubricity
- Lower oil temperature
- · Less engine noise
- Increased oil pressure
- Reduced soot levels
- Less oxidation
- High temperature stability
- Also available in 5W-40 and 10W-30

IT WORKS!



IT WORKS! LucasOil.co.uk | 0808 100 3259

SAE 15W-40 CJ-4 PART # 10296 (32 OZ) PART # 10297 (128 OZ) SYNTHETIC SAE 15W-40 CJ-4 PART # 10298 (32 OZ) PART # 10299 (128 OZ)





PERFORMAN

OIL PRODUCTS

- Contains the high levels of ZDDP (Zinc) necessary to protect flat tappet cams, lifters and pushrods
- Provides excellent thermal stability in case of overheating
- · A true long lasting high performance lubricant
- Contains special Lucas additives that protect against rust, corrosion and dry starts associated with long periods of non-use

Lucas0il.co.uk | 0808 100 3259

Available in :

SAE 10W-30 (QT - Part# 10687 | 5 QT - Part # 10679) SAE 10W-40 (QT - Part# 10688 | 5 QT - Part # 10683) SAE 10W-50 (QT - Part# 10689 | 5 QT - Part # 10684)

Part# 10679

HIGH

:10

HIGH

100

Part# 10687

One Lucas Oil product is enough for 90% of the vehicles that use a 5W-30 specification. That's right, just one!

INC.

One Brand.

Two Options.

Whether you need a synthetic or semi-synthetic 5W-30, one Lucas Oil blend is proven to withstand the most punishing conditions on the road or track. Some manufacturers make you stock up to 12 different options. That's a lot of stock.

Lucas Oil's Low Ash and Low SAPs oil is the clear choice for engines equipped with a DPF on long drain schedules.

So why stock a bunch of different options when your customer only needs one?



IC SAE 5W-30

(169 fl. oz. U.S.

えびら にのでのれ いそをバトト さくどう

re Synthetic

Donore Content

High Mileage Heavy Duty

SEMI-SYNTHE SAE 5W-30 CANE FINEST MOTO

Vith Less.

LUCAS OIL

0808.100.3259 • LucasOil.co.UK








Unit 4 Cunliffe Drive | Industrial Estate, Llangefni | Anglesey, LL77 7JA LucasOil.co.uk | email: Info@lucasoil.co.uk | Tel: 01248 723 666 | fax: 01248 723 275 Company No. 4333829

The Importance Of Using The Right Oil

With the increased use of Diesel Particulate Filters (DPF) in modern engines, using the right oil has become vital to ensure the DPF system runs correctly and to avoid blockages and potential serious damage to the engine. By not using a **C3/A5/B5** specification oil also known as low/mid **SAPS** oils, there is an increased risk of carbon (soot) building up and blocking the flow of the Diesel Particulate Filters causing a loss in performance and over heating of the engine. A warning light or message will indicate the DPF is full. Having the filter removed and cleaned can cost from £300 upwards, if the filter cannot be cleaned a replacement will cost up to £2000 !!!



Lucas Oil carry **C3/A5/B5** specification and will not block a DPF.

Why risk your car by using the wrong specification oil?

Lucas Synthetic motor oil is a formulation of high quality synthetic base stocks and an exclusive high performance additive package. It's an ideal on track/off track lubricant that ensures minimum drag for maximum fuel mileage, and easy cold weather starting. The user can expect maximum protection from wear even with extended drain intervals. The exclusive additive package in Lucas Synthetic Motor Oils insures extra protection and longer oil life in turbo charged engines. The user can expect lower oil temperatures and longer engine life.

- GUARANTEES lower oil temperatures, for longer oil life and less metal fatigue
- Provides a tougher, thicker oil film for maximum protection against metal to metal contact
- Has higher lubricity for faster acceleration and more RPM's
- Protects against oil cavitation (foaming), a must for higher revving engines
- Slows oil burning and raises oil pressure in worn engines
- Provides better protection against cold weather dry starts

For use in 4-cylinder, 6-cylinder and 8-cylinder Petrol and Automotive Diesel Engines



Meets or Exceeds American and European OEM specifications API SM/SL/SJ/CF, ACEA A5/B5-04, A3/B4-04, C2-08, C3-07, C2-04, MB229.31, MB229.51, VW 50200, 50500, 50501, BMW Longlife-04, Porsche, Ford M2 C 917 A. Suitable for use where VW 50700 is recommended.

Lucas Synthetic Motor oils are available in the following viscosities: 0W-30, 0W-40, 5W-30, 5W-40, 10W-30, 20W-50, 10W-60 Semi-Synthetic: 5W-30, 10W-40, 15W-40









Unit 4 Cunliffe Drive | Industrial Estate, Llangefni | Anglesey, LL77 7JA LucasOil.co.uk | email: Info@lucasoil.co.uk | Tel: 01248 723 666 | fax: 01248 723 275 Company No. 4333829

Lucas Semi-Synthetic Motor Oil is a blend of high quality base stocks and an exclusive high performance additive package that ensures minimum drag, extended engine life, longer oil life and easy cold weather starting. Designed for use in both petrol and diesel engines. The exclusive additive package in Lucas Semi-Synthetic Motor Oil is excellent for use in turbo charged engines.

- GUARANTEES lower oil temperatures, for longer oil life and less metal fatigue
- Provides a tougher, thicker oil film for maximum protection against metal to metal contact
- Has higher lubricity for faster acceleration and more RPM's
- Protects against oil cavitation (foaming), a must for higher revving engines
- Slows oil burning and raises oil pressure in worn engines
- Provides better protection against cold weather dry starts

For use in 4-cylinder, 6-cylinder and 8-cylinder Petrol and Automotive Diesel Engines

Meets or Exceeds American and European OEM specifications API SM/SL/SJ/CF, ACEA A5/B5-04, A3/B4-04, C2-08, C3-07, C2-04, MB229.31, MB229.51, VW 50200, 50500, 50501, BMW Longlife-04, Porsche, Ford M2 C 917 A. Suitable for use where VW 50700 is recommended.

Lucas Semi-Synthetic Motor oils are available in the following viscosities: 5W-30,10W-40,15W-40



LUCAS OIL & ADDITIVES YOUR SHIELD OF PROTECTION

T: 0808 100 3259 LucasOil.co.uk





Tom Bayer Super Gas Champion

NEZLENE CON

ASK YOUR COUNTERMAN! Lucas Oil Products are tested and proven to withstand the most brutal conditions on the track or the street. Our extensive line of Racing Only Oils, Super Coolant, and Brake Fluids will bring you home with the flag, battle after battle.



BRODIX

Real

BRAKE FLUID

LUCAS OIL

KEEP THAT ENGINE COOL

HIGH

AMERICA'S FINEST RACING OLL BACCING COL

SAE 20W-50



RACING ONLY MOTOR OILS

PERFECT FOR HIGH RPM AND HIGH HORSEPOWER ENGINES

KEY BENEFITS

- High Zinc fortified
- Extra protection
- Lower oil temperature
- Less drag for more horsepower
- Extra thermal stability
- Compatible with methanol or racing gas
- Available in 0W-5, 0W-10, 0W-30, 10W-30 & 20W-50 (petroleum and synthetic)

IT WORKS!



IT WORKS! LucasOil.co.uk | 0808 100 3259

RACING SAE 20W-50 PART # 10621 (160 OZ)

OIL PRODUCTS

INC

AMERICA'S FINEST RACING

SAE 20W-50

Made in USA **5 Quarts** (160 fl. o

RACING SYNTHETIC SAE 20W-50 PART # 10615 (32 OZ)





aBoost

SYNTHETIC SAE OW-30 RACING OIL

- High Zinc Fortified
- Perfect Oil for High RPM Engines
- Less Drag for More Horsepower!
- Compatible with Methanol
 or Racing Gas

L9 RACING GEAR OIL

- Contains Special Anti-Wear and Lubricity Agents
- Special Synthetic Base Stocks
- Very Thermal Stable



Lucas Motor Oil Typical Zinc Values



Part #'s	Description	Zinc PPM
	Motor Oil	
10564	Syn SAE 0W-20	861
10179	Syn SAE 0W-30	1,265
10211	Syn SAE 0W-40	1,265
10082	Syn SAE 5W-20 API	861
10049	Syn SAE 5W-30 API	861
10189	Syn SAE 5w-40 API	861
10050	Syn SAE 10W-30 API	861
10176	Semi-Syn SAE 10W-40	1,265
10054	Syn SAE 20W-50	1,265
10516	SAE 5W-20 API	861
10474	SAE 5W-30 API	861
10276	SAE 10W-30 API	861
10275	SAE 10W-40 API	861
10252	SAE 20W-50 API	861
10162	SAE 40WT API	861
10053	30 Plus	1,265
Part #'s	Racing Only Oil	Zinc PPM
10281	Syn SAE 0W-5	4,836
10286	Syn SAE 0W-10	3,289
10291	Syn SAE 0W-20	3,218
10605	Syn SAE 0W-30	2,616
10610	Syn SAE 10W-30	3,097
10615	Syn SAE 20W-50	3,132
10306	Semi-Syn SAE 20W-50	3,115
10620	SAE 20W-50	3,132
10380	Jr. Drag SAE 5W-20 15 oz	6,795
10848	4-Stroke Medium Karting Oil	3,873
10044	50 Plus Racing	3,921
10695	60 Plus Racing	3,921
10261	70 Plus Racing	5,458
Part #'s	Hot Rod & Classic Car Oil	Zinc PPM
10687	SAE 10W-30	2,100
10688	SAE 10W-40	2,100
10689	SAE 20W-50	2,100
Part #'s	Extreme Duty Marine Oil	Zinc PPM
10653	SAE 20W-50	3,132
10654	Semi-Syn SAE 20W-50	3,115
10661	Syn SAE 10W-30 Outboard	820
10662	Syn SAE 10W-40 Outboard	820
10677	SAE 25W-40 Inb Strn Drv	820
10807	MarineSAE 15W-40API CJ-4	1,281

Part #'s	Description	Zinc PPM
	Motorcycle Oil	
10700	SAE 20W-50	1,058
10702	Syn SAE 20W-50	1,058
10704	Syn SAE 5W-20	1,058
10706	Syn SAE 5W-30	1,058
10708	Syn SAE 10W-30	1,058
10710	Semi-Syn 10W-40	1,058
10712	50W	1,058
10714	70W	1,058
10716	Syn SAE 10W-50	1,058
10718	Syn SAE 0W-40	1,058
10720	Semi Syn SAE 10W-40 ATV	1,058
10765	Syn 50W	1,542
10767	SAE 10W-40	1,058
10777	SAE Syn 10W-40 Moly	1,058
Part #'s	Break-In Oil	Zinc PPM
10626	SAE 20	3,634
10630	SAE 30	3,634
10635	SAE 20W-50	3,634
Part #'s	Heavy Duty Diesel	Zinc PPM
10075	SAE 15w-40 CI 4 Magnum	1,524
10298	Syn 15w-40 CJ 4 API	1,281
10296	SAE 15w-40 CJ 4 API	1,281
10435	Syn 5w-40 CJ 4 API	1,362
10571	SYN 10w30 CJ 4 API 5 gal	1,281

Pint #	Engine Break In Oil Additive	
10063	TB Zinc Plus	31,000
	Mix Ratio	Zinc PPM
10063	4.5 qt Oil + 16oz Zinc Plus	3,500
10063	4.75 qt Oil + 8oz Zinc Plus	1,600
10063	4.9 qt Oil + 4oz Zinc Plus	1,000

Lucas Oil Products	
302 North Sheridan Street	
CORONA, CA. 92880-2067	
PHONE: 1-800-342-2512	
FAX: 1-951-270-1902	
E-MAIL: www.LucasOil.com	



HI-PERFORMANCE MOTORCYCLE PRODUCTS

Official Oil of Team




Lucas Oil has a full range of race-proven High Performance Motorcycle Products that have been tested under extreme racing conditions and will help deliver long life and maximum performance for your motorcycle.

NOW AVAILABLE IN THE UK



LucasOil.co.uk Freephone Number 0808 100 3259

HIGH PERFORMANCE MOTORCYCLE PRODUCTS



PERFORMANC

OIL PROD

INC

LucasOil.co.uk • 0808 100 3259



SEMI-SYNTHETIC 2-CYCLE OIL

LOW ASH / SMOKELESS

FORMULATED WITH AN EXCLUSIVE ADDITIVE PACKAGE THAT BURNS CLEAN AND HELPS PLUGS AND RINGS LAST LONGER. USER CAN EXPECT LESS FUEL CONSUMPTION AND NO MORE FILTER CLOGGING!

KEY BENEFITS

- · Clean burning "smokeless" formula
- Used in all chainsaws, snowmobiles, leaf blowers, weed eaters, motorcycles, etc.
- Excellent rust protection during storage
- Reduces carbon build-up
- Prevents piston burning, spark plug fouling, ring sticking and corrosion caused by combustion residues

Designed for any oil injection system or pre-mix up to 50:1. Suitable for air-cooled engines



IT WORKS! LucasOil.co.uk | 0808 100 3259



PART # 10058 (2.6 OZ) | PART # 10059 (6.4 OZ) | PART # 10120 (16 OZ) PART # 10110 (32 OZ) | PART # 10115 (128 OZ)

32 fl. oz. U.S.

IIGH PERFORMANCE OIL

SEMI-SYNTHETI

SMOKELESS · LOW ASH Meets ISO GD and JASO FC & FD

Exceeds API TC

Made in USA

946 mL

2-CYCI




2-CYCLE OIL LAND & SEA™

CERTIFIED BY

MEETS OR EXCEEDS API TC AND JASO FB SPECIFICATIONS

KEY BENEFITS

- · A "true" smokeless formula
- Expect longer ring life, less fuel consumption and no filter clogging
- Excellent rust protection
- Prevents piston and cylinder scuffing
- For use in personal watercraft, outboards, motorcycles, snowmobiles, ATVs, go karts, weed eaters and chain saws
 - Surpasses Mercury, Evinrude and Johnson Motors requirements





IT WORKS! LucasOil.co.uk | 0808 100 3259

PART # 10557 (128 OZ) | PART # 10467 (32 OZ)

PERFORMANCE O

PERFORMANC

SEMI-SYNTHETIC

a in: Motorcycles

SEMI-SYNTH

ise in: Motorcycles, ATVS, G Personal Watercraft, Outboar mabiles Weed Eaters & Cha

n (128 oz. fl. U.S.)



(CONSTRUCTION OF

MOTORCYCLE OILS

Whatever your needs are....

Line mou

3014 bas It all

Formulated with an exclusive additive package not found in other brands. Provides more power by sealing the piston rings, improves compression, fights fuel dilution, extends oil drain intervals and provides excellent film strength over a wider temperature range. These oils are designed for both engine and wet clutch applications and are not friction modified to provide the highest performance. Designed to meet or exceed performance requirements of today's 4-stroke motorcycles and ATV's, API SM/SL/SH/SG, JASO MA/MA2 and ACEA A3.

IOND

Available in Petroleum, Semi-Synthetic and Synthetic.



froy Lee. Disign



MOTORCYCLE PRODUCTS

RACE-PROVEN HIGH PERFORMANCE PRODUCTS

- Tested under extreme racing conditions
- Help deliver long life and maximum performance for your motorcycle



SAE 5W-3

SLISJICCICD . JASO MA-2 . ACEA

MOTORCYCLE ENGINE OILS

QUI DRY

CE PROVEN

S NO RESIDU

MUTORCTCLE ENGINE OILS 50 WT.: # 10712 (32 OZ) 70 WT.: # 10714 (32 OZ) SAE 10W-40: # 10767 (32 OZ) SAE 20W-50: # 10700 (32 OZ) SYN SAE 0W-40: # 10718 (32 OZ) SYN SAE 5W-20: # 10704 (32 OZ) SYN SAE 5W-30: # 10706 (32 OZ) SYN SAE 10W-30: # 10708 (32 OZ) SYN SAE 10W-40: # 10793 (32 OZ) SYN SAE 10W-40: # 10793 (32 OZ) SYN SAE 10W-50: # 10716 (32 OZ) SYN SAE 10W-50: # 10716 (32 OZ) SYN SAE 20W-50: # 10702 (32 OZ) SYN SAE 10W-40 MOLY: # 10777 (32 OZ) SEMI-SYN SAE 10W-40: # 10710 (32 OZ)

DAM FILTER

REPELS MOISTU TRAPS DIRT & DU

AN FO

> MOTORCYCLE OCTANE BOOSTER PART # 10725 (2 OZ)

VSMISSION

PROVES SHIFTING

TENDS CLUTCH LIF U.S. Made in USA 946

80W/85

CONTACT CLEANER PART # 10799 (14 OZ)

SYNTHETIC FORK OILS

SYN 5 WT: # 10771 (16 OZ) SYN 10 WT: # 10772 (16 OZ) SYN 15 WT: # 10773 (16 OZ) SYN 20 WT: # 10773 (16 OZ)

FOAM FILTER OIL PART # 10798 (32 OZ)

SAE 20W-50

SL SJ CC CD + JASO MA-2 + ACEA A3

MOTORCYCLE OIL STABILIZER PART # 10727 (12 OZ)

SYNTHETIC SAE 80W-85 TRANSMISSION OIL PART # 10778 (32 OZ)

IT WORKS! LucasOil.co.uk | 0808 100 3259



ATV/UTV ENGINE OIL SEMI-SYNTHETIC SAE 10W-40

4-STROKE


ALL TEMP, ALL SEASONS

KEY BENEFITS


- Lower oil temperatures
- Longer oil life
- Longer component life
- · Less noise, fewer leaks
- Far exceeds major manufacturer specifications, on the trail or on the track
- Exceptional wet clutch protection for 4-stroke engines with integrated transmissions
- Formulated to stand up to the high temperatures of air-cooled 4-stroke ATV/UTV engines



IT WORKS! LucasOil.co.uk | 0808 100 3259



PART # 10720 (32 OZ)



LILAS

IMPROVES SHIFTING EXTENDS CLUTCH LIFE

³² fl. oz. U.S. Made in USA



SAE 80W/85W TRANSMISSION OIL

- Synthetic formula contains Lucas unique additive system
- Provides the ultimate performance, improved shifting, clutch engagement and extended clutch life
- Reduces friction and drag
- Meets Honda Specifications



IT WORKS! LucasOil.co.uk | 0808 100 3259



45 DIL

PEREORMANC

:TH

HIGH

1/(0)11

PRODUG

HIGH PERFORMANCE

- Improves Airflow
- Tacky Formula Traps Dirt, Dust and Sand
- Light Viscosity, Low Solvent Formula
- Stays in Place Throughout Service Life
- Waterproof Formula Blocks Out Moisture
- Will Not Clog Foam Filters



IT WORKS! LucasOil.co.uk | 0808 100 3259







Raises oil pressure

- Lowers oil temperature
- Controls heat and wear

• Excellent for use in primaries and gear boxes

Also for use in ATV's and UTV's

Lucas0il.co.uk





Forged from the partnership with Troy Lee Designs. Lucas Oil has developed a complete line of High Performance Motorcycle Products, including: Foam Filter Oil, Transmission Oil, Synthetic Fork Oil, Octane Booster, Contact Cleaner, Motorcycle Oil Stabilizer, Chain Lube and High Performance Motorcycle Oils. These High Performance products have been tested under extreme racing conditions and will provide long life and maximum performance for your motorcycle.

Ask your dealer for Lucas Oil High Performance Motorcycle Products

LucasOil.co.uk • 0808 100 3259



RACE PROVEN

WGER: EXTREMELY FLAMMABLE. VAR MERUL, HARMFUL OR FATAL IF SWALLOW WENTS UNDER PRESSURE. Read other sens on back panel.

ET WT 14 oz. (397g) Made in US

LUCAS CONTACT CLEANER

Formulated with a unique blend of solvents, cleaning agents and propellants designed to remove oil, dirt and moisture from contact points. Lucas Contact Cleaner is compatible with metals and elastomers. It is especially effective in motorcycle applications to clean electrical parts that have been exposed to high levels of oil, dirt and debris. This non-chlorinated,CFC free 45% VOC requirement for electrical contact cleaner formula dries quickly and leaves no residue.

*Read entire label before using this product

- Removes Oil, Dirt and Debris
- Quick Drying Formula
- Leaves No Residue
- Race Proven
- Compatible With Metals, and Elastomers



LucasOil.co.uk | 0808 100 3259



Premium Additives!

REDUGES THERMALEXPANSION Bandar Waar PROMEGUION MORE RESPONSIVE CHANDLING

- Light, Medium and Heavy Grades (5 Wt., 10 Wt., 15 Wt.)
- Prevents seal hardening
- Prevents oxidation and oil thickening
- Prevents foaming
- Prevents static friction
- For use in all systems, including damping rod, cartridge, bladder, conventional and inverted forks

Part #10771 Part #10773

www.LucasOff.co.uk • 0303 1003259

HIGH PERFORMAL

OIL PRODUCT

SYNTHET

BETTER WEAR PROTECTION

BE RESPONSIVE



HIGH PERFORMANCE

AT PERF

OIL PRODUCTS

SYNTHETIC

REDUCES

BETTER WEAR PROTECTION

MORE RESPONSIVE HANDLING

PERFORMANCE


NTHETIC

ETTER WEAR

RE RESPONSIVE

 $\langle 0 \rangle$

DIL PRODU



Lucas Primary Chaincase oil is a blend of easy flowing base oils and a Lucas additive package designed to carry away more heat from the clutch and friction plates. This assures a longer more trouble free clutch life.

Expect a smooth clutch action, less slippage, longer chain and sprocket life and much longer oil life.

Designed for heavy duty and high performance situations.

www.Lucas0il.co.uk • 0808 100 3259



Lucas Synthetic SAE 75W-140 Motorcycle Gear Oil is blended with the highest quality synthetic base oils and a LUCAS synthetic additive package that makes it superior to any other motorcycle gear oil. Expect a cool, quiet performance with minimum wear and minimum drag.

STANDS UP TO HIGH HORSE POWER AND HIGH TEMPERATURE

Designed especially for V-Twins but excellent for use in any heavy duty or high performance transmission.

www.LucasOil.co.uk • 0808 100 3259



SYNTHETIC SAE 75W-140 V-TWIN GEAR OIL

WITH SYNTHETIC ADDITIVES

- · Blended with high quality synthetic base oils
- Stands up to high horsepower and high temperatures
- Designed for V-Twins and for any high performance transmissions

PRIMARY CHAINCASE OIL

- Carries away more heat from the clutch plates and friction plates
- Assures a longer, more trouble free clutch life
- Expect smooth clutch action, less slippage, longer chain and sprocket life and a much longer oil life
- Designed for heavy duty, high performance situations



IT WORKS! LucasOil.co.uk | 0808 100 3259

SYN SAE 75W-140 V-TWIN GEAR OIL PART # 10791 (32 OZ) PRIMARY CHAINCASE OIL PART # 10790 (32 OZ)





MOTORGYCLE OIL



Specifically blended for AIR COOLED MOTORS

HI-

MOTORCYCLE

OIL

Extends engine life
Extends oil drain intervals
Reduces operating temperatures

Lucas Synthetic SAE 50 wt. High Performance Motorcycle Oil is formulated with an exclusive additive package that is not found in other brands. It contains a high level of detergents and dispersants to resist sludge and varnish formation, lowers engine temperature and raises oil pressure, reduces noise and increases performance. It offers maximum protection with minimum drag.

LucasOil.co.uk · 0808 100 3259

"IF I BUILD IT, LUCAS OIL GOES IN IT"

- Dozer

Winner at top national bike shows, including several Easyriders V-Twin Bike shows and star of various Discovery Channel's Great Biker Build Off episodes

DOZER CYCLE www.dozercycle.com



LUCAS HIGH PERFORMANCE MOTORCYCLE OIL

LUCAS OFFERS A FULL LINE OF MOTORCYCLE OILS THAT FAR EXCEED ALL OEM SPECIFICATIONS AND WILL STAND UP TO ANY TRACK OR STREET TEST YOU PUT THEM THROUGH. LUCAS MOTORCYCLE OIL WILL LOWER OIL TEMPERATURE, EXTEND THE LIFE OF YOUR VITAL COMPONENTS, REDUCE NOISE, REDUCE LEAKS AND INCREASE PERFORMANCE. ON TOP OF ALL THAT, IT WILL OUTLAST OTHER OILS UP TO 4 TIMES AS LONG!

For more information on our Motorcycle Oils visit: LUCASOIL.CO.UK

"IF I BUILD IT, LUCAS OIL GOES IN IT"

- Dave Perewitz,

Legend custom bike builder & recipient of the "Life Time Achievement Award" by Easyriders Magazine/V-Twin Magazine.

Perewitz Cycle Fabrication: www.perewitz.com



Lucas High Performance MOTORCYCLE OIL

Lucas offers a full line of motorcycle oils that far exceed all OEM specifications and will stand up to any track or street test you put them through. Lucas Motorcycle Oil will lower oil temperature, extend the life of your vital components, reduce noise, reduce leaks and increase performance. On top of all that, it will outlast other oils up to 4 times as long!

For more information on our Motorcycle Oils visit: LUCASOIL.CO.UK

Chris Sromalla



Forged from the partnership with Troy Lee Designs, Lucas Oil has developed a complete line of High Performance Motorcycle Products. The full line of Lucas Oil motorcycle products includes: Foam Filter Oil, Transmission **Oil, Synthetic Fork Oil, Chain** Lube, and High Performance Motorcycle Oils. These High Performance products have been tested under extreme racing conditions and will provide long life and maximum performance for your motorcycle.

Whatever your needs are...

<u> 4 has it all!</u>

Ask Your Dealer for Lucas Oil High Performance Motorcycle Products. **OFFICIAL OIL OF TEAM** Troy Lee Designs



LucasOil.co.uk • 0808 100 3259



CHAIN LUBE

PENETRATES, LUBRICATES AND EXTENDS CHAIN AND SPROCKET LIFE

KEY BENEFITS

- Designed to penetrate deeply into the pins and bushing of the chains
- Excellent rust and corrosion inhibitor, as well as outstanding water resistance
- Leaves a protective film to ensure minimum wear and drag
- Suitable for use in all chains including O-ring types
- Moist, pliable and resists drying
- Easy to use can—sprays anywhere, even upside down

NO CHLORINE NO FLUOROCARBONS



IT WORKS! LucasOil.co.uk | 0808 100 3259





PART # 10393 (11 OZ)






Cole Seely

SLISJICCICD . JASO MA-2 . ACEA A3

Official Oil of Team TLD





Formulated with an exclusive additive package not found in other brands. Provides more power by sealing the piston rings, improves compression, fights fuel dilution, extends oil drain intervals and provides excellent film strength over a wider temperature range. These oils are designed for both engine and wet clutch applications and are not friction modified to provide the highest performance. Designed to meet or exceed performance requirements of today's 4-stroke motorcycles and ATV's, API SM/SL/SH/SG, JASO MA/MA2 and ACEA A3.

Available in Petroleum, Semi-Synthetic and Synthetic.

LucasOil.co.uk • 0808 100 3259





First by land and now by sea, Lucas Oil has developed a complete line of High Performance Marine Products. The full line of Lucas Oil marine products includes: Gear Oil, Marine ATF, Grease, and High Performance Marine Engine Oils for both Inboard and Outboard engines. These purpose built High Performance Products have been tested under extreme conditions and will provide long life and maximum performance for your marine vehicle applications.

MARINE

2-CYCLE OIL

HIGH ZIN

MARINE INGINE OIL

Ask your dealer for Lucas High Performance Marine Products.

LucasOil.co.uk • 0808 100 3259

MARINE GEAR OIL

AS 0

MARINE GREASE

LGI

MEETS OR EXCER TYPE F & FA

STERN DRIVE

SAE 25W-40

MARINE

ATP

OUTBOARD

ENGINE OIL

AE10W-30



LUCASOIL

MARINE

GREASE

MARIN GEAR OI

MARINE

First By Land, Now By Sea.

Lucas Oil has developed a complete line of High Performance Marine Products. The full line of products includes: Gear Oil, Marine ATF, Grease, Fish Reel Oil and High Performance Marine Engine Oils for both Inboard and Outboard engines. These purpose built High Performance Products have been tested under extreme conditions and will provide long life and maximum performance for your marine vehicle applications.

Ask your dealer for Lucas High Performance Marine Products.

LucasOil.co.uk • 0808 100 3259

First By Land, Now By Sea.

Lucas Oil has developed a complete line of High Performance Marine Products. The full line of products includes: Gear Oil, Marine ATF, Grease, and High Performance Marine Engine Oils for both Inboard and Outboard engines. These purpose built High Performance Products have been tested under extreme conditions and will provide long life and maximum performance for your marine vehicle applications.

Ask your dealer for Lucas High Performance Marine Products.





LucasOil.co.uk • 0808 100 3259

MARINE

ARII

MARINE

MARINE

STERN DRIV



INC.

HIGH PE

TARINE PR

MARINE GREASEPART # 10320MARINE ATFPART # 10651MARINE GEAR OIL M8PART # 10652SAE 20W-50 MARINE ENGINE OILPART # 10653SEMI-SYNTHETIC 20W-50 MARINE ENGINE OILPART # 10654OUTBOARD ENGINE OIL SYNTHETIC 10W-30PART # 10661OUTBOARD ENGINE OIL SYNTHETIC 10W-40PART # 10662

Ask your dealer for Lucas High Performance Marine Products

LucasOil.co.uk • 0808 100 3259

You can't always have the best fishing spot.

MARINE

ILGI

MARINE

OUTBOARD

MARINE GEAR OIL

But you can have the best products.

2 2



MARINE

LucasOil.co.uk • 0808 100 3259

STERN DRIVE

Ask your dealer for Lucas High Performance Marine Products.